



T-Line Dust Extractors

Clean Air from Sweden

Hardware

For heavy-duty work and if exacting demands are made on dust extraction, the T-line is what you need. Powerful motors with ample capacity need a three-phase power supply. The machines can deal with materials that are difficult to handle, such as sanding dust, asbestos and demolition materials in a wide variety of applications, and are typically used for

- *Local extraction*
- *Central extraction in construction and process industries*
- *All types of floor grinding machines*

T-line machines have reliable filter systems with high collecting efficiency and a long filter life, and they can deal with large quantities of fine dust. HEPA class H13 filters for dust that is harmful to health, such as quartz and asbestos dust, are fitted as standard. The Longopac® bag hose system ensures simple, dustfree bag changes.



When dealing with dust, compromises are out of the question

Software

All of our machines are designed so that they are simple to use and service, without harming your thumbs, arms and back. They will not expose you to unnecessary dust or high noise levels. They are user friendly machines that save time, money and reduce sick leave. Many call this ergonomics, but we also call it good economics. The proportion of occupational illnesses in the building industry is still much higher than it is in other industries. We regard it as a challenge to help lower these figures. We think of you when we design our machines.





T3600

A powerful three-phase dust extractor, excellent for point extraction and use with medium size floor grinders. Wear resistant pre filter hoses and a H13 main filter. Jet pulsing for effective filter cleaning. Longopac® bag hose system for dust free bag changes. Suitable for general cleaning of construction sites and industries.



T7500

Our popular work horse that so many customers have chosen. Wear resistant pre filter hoses and a H13 main filter. Longopac® bag hose system for dust free bag changes. Suitable as a central vacuum and all types of floor grinders.



T11000

The T11000 is truly unique in the industry with its incredible power and massive pre-filter area, the T11000 will change the way many contractors choose to grind and polish concrete floors. If you are connecting a single grinder to the T11000, you do not have to worry about using a pre-separator! The T11000 will allow you to grind for an entire work shift without a pre-separator and without stopping your grinder to clean or purge filters.

If you wish to run two grinders, just add a C5500 pre-separator between each grinder and the T11000. The T12600 will improve grinder performance, and eliminate that leftover layer of dust on the floor and the extra labor to remove it.

Specifications	T3600	T7500	T11000
Motor Power	3 kW	5,5 kW	11 kW
Weight	83 kg	210 kg	390 kg
Air Flow	320 m ² /h	600 m ² /h	1100 m ² /h
Vacuum	31 kPa	33 kPa	33 kPa
Starting Device	Direct	Y/D	Y/D
Fine Filter	Polyester	Polyester	Polyester
HEPA Filter	H13	H13	H13
Air Pulse Cleaning	Yes	Yes	Yes
Collection	Longopac®	Longopac®	Longopac®

Pullman-Ermator manufactures a wide range of HEPA dust extractors, vacuums and air cleaners ranging from 1 kW to 11 kW. There are single-phase 115V/230V models along with three-phase 230V/400V models. All units include individually tested and certified HEPA filtration systems. Pullman-Ermator products have earned a reputation for uninterrupted service, superb filtration and durability in the construction industry. And of course, we provide a clean working environment for you – We call it “Clean Air from Sweden.”



Pullman Ermator AB, Industrivägen 10, SE-777 34 Smedjebacken

Tel: +46 240 660960 Fax: +46 240 663060

www.pullman-ermator.se info@pullman-ermator.se